

## Spermidine Promotes Cardioprotective Autophagy

Dan Tong, Joseph A. Hill

### Cardioprotection and lifespan extension by the natural polyamine spermidine

Eisenberg et al  
*Nat Med.* 2016;22:1428–1438

**A recent study published in *Nature Medicine* reports that dietary supplementation with spermidine, a natural polyamine, extends life span and reverses aging-associated cardiac dysfunction in mice through induction of autophagy. Similar protective effects of spermidine on human cardiovascular health were also suggested by epidemiological studies.<sup>1</sup>**

### Background

Our population is aging—shifting in distribution toward older age—at an unprecedented pace. Based on US population reports, the percentage of people aged >65 years is estimated to increase from 13.4% in 2012 to 19.3% in 2030. And as aging is the greatest risk factor for major life-threatening disorders, including cardiovascular and neurodegenerative diseases, metabolic syndromes, and cancer, these demographic shifts are of great significance.<sup>2</sup> Furthermore, the simple extension of longevity falls short of the over-riding objective of extending healthy life (square-waving life). Therefore, there is great interest in interventions that target the aging process per se, as they could potentially provide novel preventive and therapeutic approaches for a wide range of age-associated diseases.

In the past 2 decades, studies have identified multiple genetic and pharmacological interventions that extend the lifespan of model organisms, including yeast, worms, flies, and mammals. Caloric restriction (CR), and pharmacological agents that mimic the effects of CR, including rapamycin, metformin, resveratrol, and spermidine, promote longevity in model organisms.<sup>3</sup> Interestingly, most interventions converge on a limited number of common cellular processes, including nutrient signaling (insulin and mechanistic target of rapamycin [mTOR] pathways), mitochondrial efficiency, and

autophagy. Both CR and inhibition of nutrient signaling induce autophagy, an evolutionarily conserved mechanism that targets damaged or long-lived proteins and organelles for degradation. Autophagy is downregulated over the course of aging, and inhibition of autophagy abolishes the longevity-promoting effects of many manipulations, indicating a strong connection between autophagy and aging.<sup>4</sup>

### Cardioprotective Effects of Spermidine

Spermidine is a naturally occurring polyamine found in abundance in certain foods, such as rice bran, soybeans, aged cheese, mushrooms, and broccoli.<sup>5</sup> Eisenberg et al<sup>6</sup> have previously reported that spermidine supplementation prolongs lifespan in yeast, flies, and worms in an autophagy-dependent fashion.<sup>6,7</sup> In this most recent article, the authors extended this observation to mammals, reporting that life-long dietary spermidine supplementation led to significant increases in median lifespan in laboratory mice. A similar beneficial response was observed when spermidine was administered later in life<sup>1</sup> (Figure).

Polyamines such as spermidine are involved in a wide range of cellular processes, including protein and nucleic acid synthesis and autophagic protein quality control, culminating in effects on cell proliferation, differentiation, and death.<sup>7</sup> In the present study, necropsy analysis revealed that spermidine treatment did not impact the incidence of cancer, a major life-limiting condition in mice, indicating that the beneficial effect of spermidine was not because of suppression of carcinogenesis, as is the case with another CR mimetic, rapamycin.<sup>8</sup> In contrast, mice fed spermidine showed significant improvement in key features associated with cardiac aging, including left ventricular (LV) hypertrophy, diastolic dysfunction, and increased LV stiffness.<sup>9</sup> Notably, this effect was independent of impact on blood pressure, lipid profile, insulin sensitivity, and body composition, suggesting that spermidine directly affected the heart. Myocardial tissue from aged mice fed spermidine manifested a rejuvenated molecular pattern on transcriptome and proteome analyses in terms of preservation of the contractile apparatus, improved mitochondrial function, and suppression of inflammation. In addition, spermidine increased phosphorylation of titin2B, an event that is linked with reduced passive stiffness of cardiomyocytes.

Similar to what was previously observed in other model organisms, the beneficial effects of spermidine in mice were autophagy dependent. Dietary spermidine increased cardiomyocyte autophagic flux and mitophagic activity. Intriguingly, the cardioprotective effects of spermidine were abolished when Atg5, an essential autophagy-related protein, was deleted specifically in cardiomyocytes.

To assess whether spermidine has similar protective effects in a model of disease, the investigators turned to Dahl salt-sensitive rats fed a high-salt diet, a model of hypertension-induced cardiac remodeling and heart failure. They

The opinions expressed in this Commentary are not necessarily those of the editors or of the American Heart Association.

Commentaries serve as a forum in which experts highlight and discuss articles (published here and elsewhere) that the editors of *Circulation Research* feel are of particular significance to cardiovascular medicine.

Commentaries are edited by Aruni Bhatnagar & Ali J. Marian.

From the Division of Cardiology, Department of Internal Medicine (D.T., J.A.H.) and Department of Molecular Biology (J.A.H.), University of Texas Southwestern Medical Center, Dallas.


Correspondence to Joseph A. Hill, MD, PhD, Division of Cardiology, Department of Internal Medicine, University of Texas Southwestern Medical Center, 6000 Harry Hines Blvd, Dallas, TX 75390. E-mail joseph.hill@utsouthwestern.edu

(*Circ Res.* 2017;120:1229–1231.

DOI: 10.1161/CIRCRESAHA.117.310603.)

© 2017 American Heart Association, Inc.

*Circulation Research* is available at <http://circres.ahajournals.org>  
DOI: 10.1161/CIRCRESAHA.117.310603



**Figure. Dietary spermidine blunts, and can partially reverse, cardiac aging by inducing cardiomyocyte autophagy.** LVH indicates left ventricular hypertrophy; and ROS, reactive oxygen species. (Illustration credit: Ben Smith.)

found that spermidine-fed rats manifested delayed onset of hypertension, attenuated cardiac hypertrophy, and improved diastolic function. In addition to effects on the heart, hypertension-associated renal injury was attenuated in spermidine-treated animals.

Finally, the investigators extended their findings to test for evidence of benefit in epidemiological studies. They report a correlation between survey-reported consumption of spermidine-rich foods and lower incidence of cardiovascular diseases in humans.

### Significance and Future Directions

First, this study enhances our understanding of the role of autophagy in cardiac aging. Spermidine, as shown in this article, induced autophagy and mitophagy in the heart, and autophagy is required for the cardioprotective benefit of spermidine. This lends additional credence to the strong link between autophagy and cardiac aging, and suggests that restoration/potential of autophagy by spermidine might be an effective way to combat aging-associated pathologies. Previous work using human and yeast cells suggested that spermidine promotes autophagy independent of SIRT1 (sirtuin 1) or mTOR, but rather by inhibiting histone acetyltransferase.<sup>10</sup> It would be interesting to test whether similar mechanisms pertain here and how changes within the acetylproteome impact the aging process.

Second, this study sheds important new light on the biology of aging, especially cardiac aging. Studies have shown that rapamycin extends the lifespan of rodents mainly by inhibiting carcinogenesis, whereas resveratrol only extends the longevity of mice fed a high calorie diet, likely through effects on metabolism.<sup>2,8</sup> In the present study, the authors ruled out the impact of spermidine on carcinogenesis, blood pressure, and metabolic profile in aging mice. This allows the intrinsic cardiac changes of aging to be investigated absent these confounding factors. The investigators went on to present evidence that

spermidine treatment attenuated key features of cardiac aging, likely through improving mitochondrial function, inhibiting chronic inflammation, and modifying phosphorylation of certain key proteins, such as titin. Therefore, spermidine might be a useful tool to investigate the aging process.

Like other excellent studies, this article raises questions that warrant further investigation. Is the longevity extension benefit of spermidine solely because of its cardioprotective effects? How is it that regularizing cardiomyocyte autophagy has a seemingly profound effect to prolong lifespan? Is cardiac aging a limiting process in organismal aging? What is the impact of spermidine on aging phenotypes in other organ systems? What is the mechanism whereby spermidine actually increases LV hypertrophy in Atg knockout mice? Here, it will be critical to measure blood pressure in these animals. Furthermore, the fact that spermidine treatment also reduced LV mass and enhanced LV compliance in young (3–4 months old) wild-type mice suggests that spermidine likely has additional effects beyond its impact on aging.

In this study, spermidine conveyed cardioprotective effects in a salt-induced hypertension rat model. However, it is difficult to parse whether this benefit is because of direct cardioprotection or secondary to its blood pressure-lowering effects. Although the authors proposed that the antihypertensive effect of spermidine is likely because of improvements in nitric oxide (NO) production and bioavailability, why is this only seen in hypertensive rats? Further studies to test the effect of spermidine on endothelial cells, and in other disease models, such as other models of hypertension and diabetic cardiomyopathy, will provide critical insights into the cardioprotective effects of spermidine, as well as how the heart ages under both physiological and pathological conditions.

Conclusions drawn from the epidemiological studies must be interpreted with caution. First, dietary survey questionnaires are notoriously inaccurate. Second, individuals who consumer polyamine-rich foods may well harbor other

important differences in lifestyle, socioeconomic status, and more.

In the end, the authors are to be congratulated on a study that unveils novel mechanism and points to immediately translatable events in cardiovascular biology. It is known that circulating levels of spermidine decrease with aging and those levels can be restored via dietary supplementation in both model organisms and humans.<sup>7</sup> Given its naturally occurring presence in common foods, spermidine likely has a better safety profile compared with other CR mimetics. Furthermore, evidence presented here points to potential benefits even if spermidine consumption commences later in life. Therefore, it is tempting to speculate that a diet rich in spermidine, either via supplement consumption or dietary modifications, might have beneficial effects on aging and aging-associated diseases. Of course, the safety and effectiveness of spermidine supplementation will need to be tested in other species and ultimately by carefully designed, large cohort clinical trials, in humans.

### Sources of Funding

This study was supported by grants from the National Institutes of Health (HL-120732 and HL-100401 to Dr Hill), American Heart Association (14SFRN20740000 to Dr Hill), CPRIT (Cancer Prevention and Research Institute of Texas; RP110486P3 to Dr Hill), and the Leducq Foundation (11CVD04 to Dr Hill).

### Disclosures

None.

### References

1. Eisenberg T, Abdellatif M, Schroeder S, et al. Cardioprotection and lifespan extension by the natural polyamine spermidine. *Nat Med*. 2016;22:1428–1438. doi: 10.1038/nm.4222.
2. de Cabo R, Carmona-Gutierrez D, Bernier M, Hall MN, Madeo F. The search for antiaging interventions: from elixirs to fasting regimens. *Cell*. 2014;157:1515–1526. doi: 10.1016/j.cell.2014.05.031.
3. Rubinsztein DC, Mariño G, Kroemer G. Autophagy and aging. *Cell*. 2011;146:682–695. doi: 10.1016/j.cell.2011.07.030.
4. Shirakabe A, Ikeda Y, Sciarretta S, Zablocki DK, Sadoshima J. Aging and Autophagy in the Heart. *Circ Res*. 2016;118:1563–1576. doi: 10.1161/CIRCRESAHA.116.307474.
5. Larqué E, Sabater-Molina M, Zamora S. Biological significance of dietary polyamines. *Nutrition*. 2007;23:87–95. doi: 10.1016/j.nut.2006.09.006.
6. Eisenberg T, Knauer H, Schauer A, et al. Induction of autophagy by spermidine promotes longevity. *Nat Cell Biol*. 2009;11:1305–1314. doi: 10.1038/ncb1975.
7. Minois N. Molecular basis of the ‘anti-aging’ effect of spermidine and other natural polyamines - a mini-review. *Gerontology*. 2014;60:319–326. doi: 10.1159/000356748.
8. Neff F, Flores-Dominguez D, Ryan DP, et al. Rapamycin extends murine lifespan but has limited effects on aging. *J Clin Invest*. 2013;123:3272–3291. doi: 10.1172/JCI67674.
9. Chiao YA, Rabinovitch PS. The aging heart. *Cold Spring Harb Perspect Med*. 2015;5:a025148. doi: 10.1101/cshperspect.a025148.
10. Morselli E, Mariño G, Benzenen MV, et al. Spermidine and resveratrol induce autophagy by distinct pathways converging on the acetylproteome. *J Cell Biol*. 2011;192:615–629. doi: 10.1083/jcb.201008167.

# Circulation Research

JOURNAL OF THE AMERICAN HEART ASSOCIATION



## Spermidine Promotes Cardioprotective Autophagy Dan Tong and Joseph A. Hill

*Circ Res.* 2017;120:1229-1231

doi: 10.1161/CIRCRESAHA.117.310603

*Circulation Research* is published by the American Heart Association, 7272 Greenville Avenue, Dallas, TX 75231

Copyright © 2017 American Heart Association, Inc. All rights reserved.

Print ISSN: 0009-7330. Online ISSN: 1524-4571

The online version of this article, along with updated information and services, is located on the  
World Wide Web at:

<http://circres.ahajournals.org/content/120/8/1229>

**Permissions:** Requests for permissions to reproduce figures, tables, or portions of articles originally published in *Circulation Research* can be obtained via RightsLink, a service of the Copyright Clearance Center, not the Editorial Office. Once the online version of the published article for which permission is being requested is located, click Request Permissions in the middle column of the Web page under Services. Further information about this process is available in the [Permissions and Rights Question and Answer](#) document.

**Reprints:** Information about reprints can be found online at:  
<http://www.lww.com/reprints>

**Subscriptions:** Information about subscribing to *Circulation Research* is online at:  
<http://circres.ahajournals.org/subscriptions/>